		1		2		3		4		5		6		7		8		
	NOTE												REVISION	IS				
	INOTE	NOTES:							ISSUE	DATE	REASON OF CHANGE PREPARED BY				VERIFI	IED BY		
E	1.	THE REARRANGEMENT OF THE AIRCRAFT LAYOUT FOR PASSENGER ACCOMMODATIONS IS TO BE PERFORMED IN ACCORDANCE WITH THIS DRAWING AND THE INSTRUCTIONS PROVIDED IN AIRE'S <b>SERVICE BULLETIN NO. A320C234-SB002</b> .							1	15/12/2023		Init	ial Issue		DESIGN OFFICE	CV	/E E	
		AISLE WIDTHS MU				AR §25.815.												
		EMERGENCY EXITS MUST BE ACCESSIBLE PER JAR §25.813.										PART LIST						
		EMERGENCY EXITS MUST BE MARKED IN ACCORDANCE WITH JAR §25.811.									ITEM PART NUMBER DESCRIPTION			RIPTION		QTY		
		ALL LIFE VESTS MUST CONFORM TO J/E/TSO C-13.								1 3530AY03-31Z514 SEAT ASSY, TPL I			, TPL LH IAT		1			
		CREW OXYGEN MASKS MUST MEET ALL REQUIREMENTS IN JAR §25.1439.									2	3530AY03-32Z514		SEAT ASSY	, TPL RH IAT		1	
	7.	CONTENTS IAW JA		LEMERGENCY E	CY EQUIPMENT MUST BE MARKED TO IDENTIFY THEIR						3	3530AY03-31Z314		SEAT ASSY,	, TPL LH STD		22	
D	8.	"FASTEN SEAT BELT" AND "NO SMOKING" SIGNS MUST BE VISIBLE TO EACH PERSON SEATED IN THE PASSENGER CABIN.									4	3530AY03-32Z314	SEAT ASSY, TPL RH STD				22 D	
	9.	ALL SEAT BACKS AND BULKHEADS MUST HAVE "FASTEN SEAT BELT WHILE SEATED" PLACARD.								5 3530AY03-31Z474 SEAT ASSY, LH STD, NO O OPENS I/B ONL			COAT HOOK, TABLE LA LY, NO RECLINE	TCH	1			
		D. SEAT REFERENCE LINE IS TAKEN FROM POINT OF ATTACHMENT TO AIRCRAFT SEAT TRACKS.								6	3530AY03-32Z474	SEAT	ASSY, RH STD, NO C	COAT HOOK, TABLE LA	TCH	1		
		ALL SEATS MUST CONFORM TO RESPECTIVE TSO/ETSO.											OPENS I/B ONLY, N SEAT ASSY, LH SPECIAL EXIT		EXIT SEAT CUSHION, S	-	+-	
		<ol><li>TIGHTEN THE REAR TRACK FITTING FASTENER AS PER SEATS' RESPECTIVE CMM INDICATION.</li><li>INSTALLATION AND SEATS TOLERANCE AS PER CMM.</li></ol>									7	3530AY03-31Z334	UPRIGHT, NO ARMREST O/B, NO COAT HOOK, RECLINE, TABLE LATCH OPEN I/B ONLY, FOLD ARM I/B, SPECIAL SEATBELT SHACKLE O/B			1		
	POST	ST-INSTALLATION NOTES:								8	3530AY03-32Z334	UPRI	ASSY, RH SPECIAL E GHT, NO ARMREST E, TABLE LATCH OPE	EXIT SEAT CUSHION, S O/B, NO COAT HOOK, EN I/B ONLY, FOLD ARI BELT SHACKLE O/B	NO	1		
С		ENSURE EACH OXYGEN MASK DROPS WITHIN THE REQUIRED ZONE ABOVE PASSENGER SEAT.								9	3530AY03-31Z344	SEAT ASSY, LH SPECIAL EXIT SEAT CUSHION, NO ARMREST O/B, FOLD ARMREST I/B, SPECIAL SEATE			1 C			
		ENSURE NO SMOKING/FASTEN SEAT BELT SIGN IS VISIBLE TO EACH PASSENGER WHILE SEATED.  ENSURE EMERGENCY ESCAPE PATH MARKING IS DIRECTLY VISIBLE ALONG THE WHOLE PASSENGER CABIN AND ALSO NO OBJECT OR CARPET COVERS IT AT ANY POINT OF EMERGENCY EXIT AISLES.									10	3530AY03-32Z344	SHACKLE O/B  SEAT ASSY, RH SPECIAL EXIT SEAT CUSHION, NO ARMREST O/B, FOLD ARMREST I/B, SPECIAL SEATBELT SHACKLE O/B				1	
	D.	REQUIRED AISLE WIDTH DIMENSIONS IN COMPLIANCE WITH JAR 25.												STD, STRETCHER		1		
	E.	SEATS AT FIRST ROWS ARE TO HAVE MINIMUM HEADSTRIKE CLEARANCE OF 35" FROM SEAT REFERENCE POINT.									12	3530AY03-32Z444	SEAT ASSY, RH STD, STRETCHER				1	
	F.									13	3530AY03-31Z384	SEAT ASSY, LH NARROW, STRETCHER SEAT ASSY, RH NARROW, STRETCHER				1		
	G.									14	3530AY03-32Z384					1		
В		BHD TYPE C	Type w		AFI TYPE C					SEAT ASSY, LH NARROW, NARROW				B				
		FWD TYPE C DOOR STA 299.17		OVERWING  STA  668.16  701				DOOR STA 262.76			15	3530AY03-31Z354	BAC	KREST,STRETCHER	R, SHORT BAGGAGE BA	AR	1	
											16	3530AY03-32Z354	SEAT ASSY, RH NARROW, NARROW BACKREST, STRETCHER, SHORT BAGGAGE BAR SEAT ASSY, LH LAST ROW, NARROW, NARROW BACKREST, SLANTED SPREWADER O/B, STRETCHER SHORT BAGGAGE BAR, NO TABLE, NO LIT POCKET, NO NETTING POCKET, NO COAT HOOK				1	
											17	3530AY03-31Z364				HER,	1	
		FIGURE 1-B1. PASSENGER SEATS LAYOUT AFTER IMPLEMENTATION OF DESIGN CHANGE									18	SEAT ASSY, RH LAST ROW, NARROW, NARRO BACKREST, SLANTED SPREWADER O/B, STRETC SHORT BAGGAGE BAR, NO TABLE, NO LIT POCKE NETTING POCKET, NO COAT HOOK				HER,	1	
А		APPLICABILITY									DRAWING INFORMATION:  DRAWING INFORMATION:  DRAWING INFORMATION:  DRAWING INFORMATION:						TIONS	
		AIRCRAFT MSN									This drawing is property of AIRE SL. It is issued on the condition that it is not copied, reproduced or					_	M: in	
	Al	RBUS A320-200 2233							disclosed to a third party either whole without the consent in writing of AIRE		or in part DESIGN OFFICE  SIGNATURE AIF		DWG-A320C234-002-LO AIRCRAFT TYPE:		ALE: N/A EET: 1/4			
		1 2 3 4								-		<i>c</i>		ON SHEET 1	AIRBUS A320-200	ISS	SUE: 1	
		1		4	1	3		4		5		6		7		8		





